

- /
  - AUD
    - 1. Admin
      - Admin
        - (BCRM#D1968) [Admin7.1] , DataSet.maf
        - [ADMIN] ,
        - 
        - 
        - 
        - 
        - 
        - (D0921)
        - 
        - [ADMIN] DBMS
        - [ADMIN] ,
        - [ADMIN] DB
        - [ADMIN] DB Connection Pool java
        - 
        - 
        - /
        - [ADMIN] / i-AUD mtsz
        - 
        - [ADMIN] AUD Platfotm
        - (BCRM#D1624)
        - 
        - 
        - (BCRM#D2839) Admin 7 > >
        - [Admin] MTX\_AGENT\_LOG LOG\_TYPE
        - 
        - [ADMIN] ADMIN JSP
        - 
        - (BCRM#D3363) Admin , Admin
        - (BCRM#D4285) Admin
        - 
        - [ADMIN]
        - POTAL
          - (BCRM#D0453) Portal
          - (BCRM#D1969) Portal > PORTAL i-AUD
        - 
        - (BCRM#D3404) Admin
        - 
        - /
        - (BCRM#D1470) /
        - 
        - [ADMIN]
        - [i-PORTAL]
        - [ADMIN] , i-META
        - GeoMap
        - [i-PORTAL] URL
        - [i-PORTAL] PORTAL
        - (BCRM#F2559) > FileDB
        - [ADMIN]
        - [ADMIN]
        - [ADMIN]
        - [ADMIN]
        - [ADMIN] SQL
        - [ADMIN] EULA, , SBOM
        - [ADMIN]
        - [Admin]
        - AUD Platform Trino Database
      - 2. i-PORTAL
        - (BCRM#D1394) Portal 2
        - (BCRM#F4597) (M0) 2
        - [ADMIN] ADMIN 2
        - 
        - 2.1.1.
        - (BCRM#D0676)
        - 
        - 2.2.1.
          - [i-PORTAL]
          - [i-PORTAL]
          - [i-PORTAL] PORTAL Default
          - [i-PORTAL] PORTAL URL
        - 2.2.2.
        - 2.2.3.
        - 2.2.4.
        - 2.2.5. (.FAQ,Q&A)
          - (BCRM#D0453) Portal FAQ ()
          - (BCRM#D0453) Portal Q&A ()
          - (BCRM#D0453) Portal ()
          - (BCRM#D1264) []
          - (BCRM#D1327) customscript.jsp
          - (BCRM#D4193) , faq, q&a
          - (BCRM#E0143) [AUD 7.3]
          - [i-PORTAL]
        - 2.2.6.
        - 2.2.7.
          - [i-PORTAL] PORTAL
          - [i-PORTAL] PORTAL Default
          - [i-PORTAL] PORTAL , MX-Service
          - (BCRM#D0197)
          - [i-PORTAL] PORTAL
        - 
        - [ADMIN] i-MATRIX
        - [i-PORTAL]
        - AUD Portal (BCRM#D0627)
        - 
        - (BCRM#D2497) Web-Portal , MXService
        - (BCRM#D3558) 401 ,
        - i-AUD ()
          - i-AUD
        - [i-PORTAL]
        - [i-PORTAL] i-Matrix Excel Process
        - [i-PORTAL] , Portal
        - [i-PORTAL]
        - [i-PORTAL]
        - [i-PORTAL] i-AUD
        - [i-PORTAL]
        - [i-PORTAL]
        - [i-PORTAL]
        - [i-PORTAL]
        - [i-PORTAL] i-AUD
        - [i-PORTAL] /
        - [i-PORTAL]
        - [i-PORTAL]
        - [i-PORTAL]
        - Server Script
      - 3. i-AUD
        - i-AUD
          - (BCRM#D1465) [AUD 7.3] Designer
          - (BCRM#D1924) AUD client , cache
          - (BCRM#D2699) i-AUD Designer BoxStyle
          - (BCRM#D2820) CSS
          - (BCRM#D3728) i-AUD MX-GRID
          - [i-AUD] AUD API
          - [i-AUD] AUD Designer
          - [i-AUD] AUD Platform Dynamic SQL
          - [i-AUD] Dynamic SQL
          - [i-AUD] Script API
          - [i-AUD]
          - [i-AUD]
          - [i-AUD] Primary Key
          - [i-AUD] UUID
          - [i-AUD]
          - [i-AUD]
          - [i-AUD] DataSource
          - AUD
          - i-AUD Custom
          - 
          - 
          - 
          - request Packet Size (EXECUTE\_PACKET\_SIZE)
          - (React, Vue)
          - 
          - i-AUD UI Bot()
            - Add-In
              - (BCRM#D0701) SmartEditor
              - (BCRM#D3706) [AUD 7.3] Property MultiLine Popup
              - (BCRM#D4232) [AUD 7.3] Property Component TreeCombo Depth
              - [i-AUD] Add-In WebEditor API
              - [i-AUD] GeoMap

- [i-AUD] GeoMap API .
  - DataGrid
    - (BCRM#D1775) i-META, i-AUD DataGrid
    - (BCRM#D2635) ListGrid Row
    - GroupGrid
    - [i-AUD] DataGrid Row Cell , parameter .
    - [i-AUD] DataGrid Column Drag .
    - [i-AUD] DataGrid
    - [i-AUD] DataGrid CheckBox, / .
    - [i-AUD] DataGrid Hyperlink .
    - [i-AUD] DataGrid Search .
    - [i-AUD] DataGrid Time .
    - [i-AUD] DataGrid ComboBox DataSource .
    - [i-AUD] DataGrid CRUD , MultiLine TextBox , .
    - [i-AUD] DataGrid " " " " .
    - [i-AUD] DataGrid , LOV SQL .
  - OlapGrid
    - i-OLAP
    - i-AUD OLAP Grid
    - (BCRM#D0338) OlapGrid, , , ( )
    - (BCRM#D1144) OlapGrid ToNumber ,
    - (BCRM#D1440) [AUD] OLAP GRID
    - (BCRM#D1570) OlapGrid Dimension Filter , Single
    - (BCRM#D1599) OlapGrid expand
    - (BCRM#D1653) [OLAP-GRID]
    - (BCRM#D1824) Olap
    - (BCRM#D2117) [202307] [i-AUD] [Darktheme] OLAP-grid .
    - (BCRM#D2135) OlapGrid Measure 2
    - OlapGrid Dimension Filter .
    - (BCRM#D2565) OlapGRID, Ctrl + :
    - (BCRM#D2602) OlapGrid, Shift + , + Home/End, +PgUp/PgDn
    - (BCRM#D2596) OlapGrid
    - (BCRM#D2889) OLAP ( )
    - (BCRM#D2856) [] OLAP GRID Row
    - (BCRM#D2943) OlapGrid,
    - (BCRM#D3001) OlapGrid, IsHeaderTotal
    - (BCRM#D3009) ArealIndex
    - (BCRM#D2890) ) Meta view mtvx ( )
    - (BCRM#D2121) i-AUD
    - (BCRM#D3206) OLAP Context Menu
    - (BCRM#D2906) OLAP UI
    - (BCRM#D3030) i-OLAP TOP X, BOTTOM X
    - (BCRM#D3227) [OlapGrid\_hidden] OlapGrid Text
    - (BCRM#D3566) [i-AUD 7.3]
    - [i-AUD] OlapGrid ' ' ' ' Dimension Filter
      - OlapGrid, Dimension Field DimensionFilter (Asc/Desc) .
    - [i-AUD] i-OLAP writeback cache .
    - [i-AUD] OlapGrid
    - [i-AUD] Script API OlapGrid
    - [i-AUD] Script API OlapGrid Filter
    - [i-AUD] OLAP-Grid
    - [i-AUD] OLAP-Grid
    - [i-AUD] OLAP-Grid Script
    - [i-AUD] OLAP-Grid Script API
    - [i-AUD] OLAP-Grid
    - [i-AUD] OLAP Grid Dimension Filter Top Filter .
  - MX-GRID
    - MX-GRID CRUD
    - MX-GRID, (i-META DataSet) (i-MATRIX Ver: 7.0.400.45)
    - MX-GRID
    - MX-GRID Excel (modified 2023-10-25)
    - (BCRM#D1479) [MX-Grid] (D1329)
    - (BCRM#D1868) MX-Grid
    - (BCRM#D2284) MX-GRID
    - (BCRM#D3352) MX-grid
    - (BCRM#D3473) MX-GRID
    - [i-AUD] MX-Grid i-AUD .
    - [i-AUD] MX-GRID ' ' AUD Designer .
    - [i-AUD] MX-GRID
    - [i-AUD] MX-GRID '\_D\_' DataSet .
    - [i-AUD] MX-Grid Label .
    - [i-AUD] MX-GRID
    - [i-AUD] MX-GRID DB Report List Grid .
  - Chart
    - (BCRM#D2807) i-AUD Designer Cursor
    - (BCRM#D2994) [AUD7.3] Chart META
    - (BCRM#D3144) [i-AUD] Pie Chart [ ] " " " ,
    - (BCRM#D3186) AUD
    - (BCRM#D3393) [AUD 7.3] Chart ,
    - (BCRM#D3716)
    - [i-AUD] Chart .
    - [i-AUD] Chart .
    - [i-AUD] Chart [ ] [ ] .
    - [i-AUD] Chart API .
    - [i-AUD] Script API 100%
    - [i-AUD] Script API Slider .
    - [i-AUD] Tooltip Symbol .
  - UserComponent
    - [i-AUD] UserComponent Source .
    - UserComponent Copy&Paste ctrl+z , Source
    - UserComponent
  - Check
    - (BCRM#D3677) [i-AUD] Checkbox
    - RadioButton
  - Calendar, CalendarFromTo
    - [i-AUD] CalendarFromTo DataGrid .
    - [i-AUD] Calendar FromTo UI .
    - [i-AUD] Calendar MinDate, MaxDate .
  - [i-AUD] DataGrid, OLAP-Grid
  - [i-AUD] Label
  - [i-AUD] Image Selector Preview .
  - [i-AUD] Slicer ComboBox, MultiComboBox .
  - [i-AUD] Tab .
  - [i-AUD] Context Menu .
- i-AUD DB Bot
  - i-AUD Process Bot
    - [i-AUD] Process Bot .
    - [i-AUD] Process Bot .
    - [i-AUD] Process Bot .
  - Script Editor
  - Module Editor
    - (BCRM#D3347) [AUD 7.3] i-AUD
    - [i-AUD]
  - Log Viewer
    - [i-AUD] Log Viewer Client Log .
  - API Script
    - (BCRM#D0689) i-META Drill To Detail
    - (BCRM#D2065) PDF
    - (BCRM#D3428) [i-AUD 7.3] base64 decode
    - (BCRM #D3414) OnCreateNewRow
    - [i-AUD] DataGrid Edit ,
    - [i-AUD] Script API / .
    - [i-AUD] Script API BoxStyle .
    - [i-AUD] PORTAL API .
    - [i-AUD] API .
    - Chart control Highcharts API
    - MX-Service Export
    - ScriptDateUtil Class
    - Web Font
    - 
    -
  - [i-AUD] Confirm API
  - [i-AUD] OLAP Grid ' ' ' ' Caption .
  - [i-AUD] OLAP-Grid Measures .
  - [i-AUD] Chart
  - [i-AUD] OLAP Grid BoxStyle ,
  - [i-AUD] OLAP-Grid WriteBack , Sub OLAP-Grid .
  - [i-AUD] OLAP-Grid
  - [i-AUD] OLAP,
  - [i-AUD] PropertyGrid Binding
  - [i-AUD] MultiComboBox .
  - [i-AUD] Script API .
  - [i-AUD] Group / Script API .
  - [i-AUD] Matrix.getDate API .
  - [i-AUD] PropertyGrid AfterRefresh .
  - [i-AUD] Context
  - [i-AUD] Chart [ ], [ ] .
  - [i-AUD] Script API GetMetaExecuteQuery .
  - [i-AUD] ' ' .
  - [i-AUD] MaskedTextBox format
  - [i-AUD] Process Bot Tab Control .
  - [i-AUD] Chart API .
  - [i-AUD] Label Margin Display Option .
  - [i-AUD] Chart API X .
  - [i-AUD] MX-GRID , (\*.html) (\*.docx) .

- [i-AUD] DataGrid API parameter .
  - [i-AUD] MX-GRID DataGrid, OlapGrid .
  - [i-AUD] MX-Grid / .
  - [i-AUD] OLAP Grid [ ] .
  - [i-AUD] MX-GRID Enter .
  - [i-AUD] MX-Grid i-AUD , Tick Color/Width .
  - [i-AUD] Chart [ ], [ ] [ ] .
  - [i-AUD] Chart .
  - [i-AUD] Chart UI .
  - [i-AUD] PickList , DRM .
  - [i-AUD] MX-GRID Border .
  - [i-AUD] (JScript)
  - [i-AUD] i-OLAP, WriteBack ServerScript ( )
  - "
  - "
  - BoxStyle
  - [i-AUD] SmartEditor API
  - [i-AUD] AUD
  - [i-AUD] MX-GRID
  - [i-AUD] DataGrid AddColumn API DeleteColumn API
  - [i-AUD] (,)
  - MultiComboBox
  - [i-AUD] MX-GRID
    - [i-AUD] MX-GRID
  - [i-AUD] CheckBox ViewType Switch .
  - [i-AUD] formatter
  - [i-AUD] OlapGrid, BoxStyle Script API(setBoxStyle)
  - [i-AUD] AUD Designer .
  - [i-AUD] PickList
  - [WEB Script Editor]
  - [i-AUD] MX-Grid (i-MATRIX Designer) ,
  - [i-AUD] Chart .
  - [i-AUD] 3D .
  - [i-AUD] MX-GRID
  - Button MouseOver MouseDown BoxStyle .
  - [i-AUD] MX-GRID
  - [i-AUD] UserComponent (JScript) Matrix.ExportServiceCall Script API
  - i-AUD
    - (BCRM#C3535) i-AUD
    - [FileDialog]
    - [FileDialog]
    - [i-AUD] FileDialog / , ,
    - [i-AUD] FileDialog
  - [i-AUD] Excel HTML Table ServerScript API .
  - [i-AUD] Chart X .
  - i-AUD
  - [i-AUD] API .
  - [i-AUD] MX-GRID / .
  - [i-AUD] MX-GRID
  - [i-AUD] Line Chart
  - [i-AUD] OLAP, WriteBack Delete 0 (AllowDeleteToZero)
  - [DataGrid/OlapGrid] Dimension - (GridFilterTextOperator)
  - [i-AUD] Excel JSON Workbook OLAP BoxStyle
  - [i-AUD] OLAP, HybridQuery , , Data
  - [i-AUD] i-OLAP Server 3
  - [i-AUD] DataGrid DateTime ,
  - [i-AUD] Grid(DataGrid/TreeGrid) StyleOption .
  - (BCRM#F4705)
  - [i-AUD] Daily DailyFromTo .
  - [i-AUD] OlapGrid, / 1 .
  - [i-AUD] MX-Grid
  - TEMP
  - [i-AUD] OnSelectedCellsDeleted API
  - [i-AUD] Grid(DataGrid(Group)/TreeGrid) OnCellLoaded API - FontUnderline
  - [i-AUD] DataGrid Disable Merge
  - [i-AUD] CalendarYM, CalendarYMFromTo
  - [i-AUD] i-META OlapGrid ListGrid
  - [i-AUD] Label RichTextBox (LineSpacing) .
  - [i-AUD] Module [ ]
  - [i-AUD] Chart
  - OlapGrid, WriteBack Cell [Lock Selected Cells]
  - [i-AUD] i-AUD Tab
  - [i-AUD]
  - [i-AUD] GeoMap (, ) > AudMap ( )
  - [i-AUD]
  - [i-AUD] X
  - [i-AUD]
  - [i-AUD] OlapGrid/DataGrid " " .
  - [i-AUD] /
  - [i-AUD] Button, Label Icon .
  - [i-AUD] , HWPX API .
  - [i-AUD] OLAP Grid SQL i-META , i-META .
  - [i-AUD] MX-GRID Clipboard
  - [i-AUD] BoxStyle .
  - [i-AUD] OlapGrid > > [ / ] Script API .
  - [i-AUD] CS Script Editor .
  - (RunScript / RunScriptEx)
  - [i-AUD] OlapGrid , Splitter
  - [i-AUD][Grid Html Viewer] DataGrid HMLT,CSS
  - OlapGrid , Splitter
  - [i-OLAP] JAVA .
  - [i-AUD]
  - [i-AUD]
- 4. i-MATRIX
    - i-MATRIX
      - (BCRM#D2014) Export MXService Export
      - (BCRM#D2458) Property ,
      - (BCRM#D2803)
      - [i-MATRIX] ExcuteDML .
      - [i-MATRIX] MATRIX Excel AddIn Mode .
      - [i-MATRIX] EXCEL Add In / / .
      - Excel Memory
      - Excel
      - SQL error message
      - ( )
    - Control
      - (BCRM#D2687) [ - iMATRIX ] TreeComboBox
      - (BCRM#D2739) i-MATRIX META (COMBO BOX)
      - [i-MATRIX] Weekly, WeeklyFromTo yyyyymmdd-ww .
      - Numberbox Null (NotNull) (BCRM#D0602)
      - RichTextBox(D0849)
      - TextBox (TextBox, MaskedTextBox, NumberTextBox) (D0850)
      - (WPF, Winform)
    - DB Bot
      - (BCRM#D2305) [MATRIX7] VN\_ 0
      - (BCRM#D3076) [i-MATRIX 7] .xlsx
      - [i-MATRIX] i-META . (bool UseControlAscSort)
      - [i-MATRIX]
      - DB Bot - DataSet - Meta
      - i-META
    - Process Bot
      - [i-MATRIX] ProcessBot > Copy & Paste . . .
      - [i-MATRIX] ProcessBot Copy & Paste "" . . .
      - [i-MATRIX] ProcessBot Calculate .
      - [i-MATRIX] ProcessBot End .
      - i-AUD i-MATRIX Macro
      - Message Box Excel
      - , INPUT BOX (BCRM#D1537)
    - UI Bot
      - (EPA2)
    - DataSetManager
      - [i-MATRIX] ModelessWindow .
      - [i-MATRIX]
    - Border visible/invisible
    - [i-MATRIX] 6, 7 6 Bridge .
    - [i-MATRIX] VBA AddIn .
    - [i-MATRIX] DB Bot "" . . .
    - [i-MATRIX] MX-Service 64bit .
    - [i-MATRIX] VBA .
    - [i-MATRIX]
    - [i-MATRIX] AddIn Mode . (DisableAddInMode)
    - [i-MATRIX]
    - [i-MATRIX] PORTAL .
    - [i-MATRIX]
    - [i-MATRIX] G-MATRIX
    - [i-MATRIX]
    - [i-MATRIX] i-CHECK
    - [i-MATRIX]
    - [i-MATRIX]
    - [i-MATRIX]
    - i-MATRIX Chunk
    - [i-MATRIX] i-MATRIX VSTO .
    - [i-MATRIX] UI .
  - 5. i-META
    - [i-META] Designer > > .
    - [i-META] Designer
    - [i-META] Designer Sort Field Viewer Sort Field .

- [i-META] Designer Category
- [i-META] Designer DB
- [i-META] Designer Join From, To
- [i-META] Designer isCopy
- [i-META] Designer Diagram
- [i-META] Designer
- [i-META] Designer
- [i-META] i-META Designer drag & drop
- [i-META] i-META Viewer
- [i-META] i-META Viewer /Column
- [i-META] META DB
- [i-META] META AUD
- [i-META] META
- [i-META] Portal Portal
- [i-META] Viewer Olap + MetaTreeView LOV filter
- [i-META] Viewer
- [i-META]
- [i-META] Template
- [i-META]
- [i-META] views tables
- [i-META]
- [i-META] SQL
- [i-META]
- [i-META] API
- [i-META] tree
- [i-META Viewer] BeforeRollup, LOV\_SQL
- [i-META Viewer] conflux
- [i-META Viewer] (Meta)
- [i-META Viewer]
- i-META SERVER
  - EnableJoinLoop
  - i-META SERVER
  - i-META SERVER
- i-META Viewer
  - (BCRM#D3260) [i-META Viewer] LOVSqL
  - (BCRM#D3443) i-META View, [] UI
  - [i-META] Viewer META JoinType Union, Union All
  - i-META Viewer, DOCX() / HWP()
  - i-META Viewer prompt UI
  - i-META Viewer LOV, ValueField
  - i-META Viewer, (Hidden)
  - 
  - 
  - (BCRM#D2819) [i-META Viewer] D-1
  - [i-META] AUD global parameter META Viewer
  - [i-META] META Top api
  - [i-META] (LOV)
  - [META TEMPLATE]
- 6. AUD SERVER
  - (BCRM#D1881) SHA salt
  - (BCRM#D3190) [JDBC] matrix\_jdbc\_driver @@URL
  - (BCRM#D3617) iMgt SSO
  - (BCRM#D3974) FILE\_DATA\_BASE MetaJdbcDriver
  - (BCRM#E0720) [WEB Process Bot], initmodule
  - (SAP RFC) Multi Result
  - [ADMIN] AUD Platform
  - [AUD Server] DRM
  - [AUD SERVER] FILE\_DATA\_BASE
  - [AUD SERVER] Repository REST API
  - [AUD Server]
  - [AUD SERVER] () Rest API
  - [AUD Server] matrix\_sys.properties
  - [AUD SERVER] Rest-ful API
  - [AUD SERVER] API
  - [AUD Server]
  - [AUD Server]
  - [AUD SERVER] REST API
  - [i-AUD] MS Access(mdb, accdb) DataSource
  - [i-PORTAL]
  - Application Access Token
  - i-AUD
  - i-META API(BCRM#D1262)
  - i-OLAP (application.conf) /
  - SimpleSSO target url multipart/form-data (BCRM#D1939)
  - SSO MTX\_LOGIN\_LOG (BCRM#D0688)
  - Swagger UI Rest API
  - Web Socket (BCRM#D0459)
  - DBMS
  - () Rest API
- 7.
  - [AUD Server], application.conf daemon.java=" "
- 8. i-CHECK
  - (BCRM#D2907) i-CHECK Type Filter
  - [i-CHECK] i-CHECK
  - [i-CHECK] ".ichecklog"
- 9. G-MATRIX
- 10.
  - [AUD Platform] (.exe) 64bit
  - [ ] AUD Platform
  - 
  - (Download.maf)
- i-MEETING
  - 
  - (BCRM#D3489) UI
  - [i-MATRIX]
  - [i-AUD/i-MATRIX]
  - 'SendMail' API, SSL
  -
- Rest-ful API
- MTX\_SQL\_REPORT /
- VS Code i-AUD
- [MX-Grid] UseLazyLoad
- TRINITY