




 7.0.610.20260903-11 .
7.0.610.20260903-11 "[I-AUD]" .

1.
 - a. **i-AUD** .
 - b. i-AUD Designer [] .



2. a. i-AUD Designer > > > [SQL]
b. . .
c. . . , SQL .
d. , .

- | | | |
|----|----|---|
| 3. | a. | |
| | |  |
| | |  |
| | | <p>SQL [QueryBuilder] .</p> <p>[] .</p> <p>SQL [QueryBuilder] .</p> |
| | | <p>SQL , [] .</p>  |

- a.

- SQL

테이터소스

테이터소스 목록

- ✓ 테이터소스
 - user-mail
 - ✓ 공통 테이터소스
 - 일시 테이터

이름

테이터백에이스

AUD-CONFLUX

설명

SQL

1

최대 100 건까지 조회 가능합니다.

실행

확인

취소

- The image displays two screenshots of the i-AUD Designer interface, specifically the '데이터베이스 - DataGrid' (Database - DataGrid) window.

Top Screenshot:

 - Left Panel (Database List):** Shows a tree view with '데이터베이스 목록' (Database List). Under 'user-mail', '공통 데이터베이스' (Common Database) is expanded, and '임시 데이터' (Temporary Data) is selected.
 - Right Panel (Query Editor):**
 - 이름 (Name):** user-mail
 - 데이터베이스 (Database):** MTXRPTY
 - 설명 (Description):** (Empty)
 - SQL:**

```

1 SELECT "T1"."user_code" AS "05696969" -- User Code
2 , "T1"."user_name" AS "083F2608" -- User Name
3 , "T2"."mail_addr" AS "DAEB13747" -- Mail Address
4 , "T2"."sms_no" AS "087A04909" -- Mobile Number for SMS
5
6 FROM   "public"."mtx_user" "T1" -- User Management
7 INNER JOIN "public"."mtx_user_mail" "T2" -- User Mail Information Management
8 ON ("T1"."user_code" = "T2"."user_code")

```
 - Buttons:** '실행' (Execute) and '취소' (Cancel) buttons are at the bottom right.

Bottom Screenshot:

 - Left Panel (Database List):** Similar to the top screenshot, but '임시 데이터' (Temporary Data) is now selected under '공통 데이터베이스'.
 - Right Panel (Query Editor):**
 - 이름 (Name):** 임시 데이터 (Temporary Data)
 - 데이터베이스 (Database):** MTXRPTY
 - 설명 (Description):** 임시 데이터 입니다. (This is temporary data.)
 - SQL:**

```

1 select USER_CODE as "CODE",
2       USER_NAME as "NAME",
3       from mtx_user
4 where user_code = 0-VS_USER_CODE

```
 - Buttons:** '실행' (Execute) and '취소' (Cancel) buttons are at the bottom right.

데이터베이스 목록

데이터베이스

user-mail

공통 데이터베이스

임시 데이터

이름

임시 데이터

데이터베이스

MTXRPITY

설명

임시 데이터입니다.

SQL

```

1 select USER_CODE as "CODE",
2       USER_NAME as "NAME"
3   from mtbx_user
4  where user_code = 0:VS_USER_CODE

```

최대 100 건까지 조회 가능합니다.

실행

확인

취소

- i-AUD Designer [] . 'D(• Development)' . [i-AUD] . .

		7.0.600.20260903-11, 7.0.610.20260903-11
--	--	---

	☐ API Open	☒ UI Open	☐ Read Only	☐ Not Use	☐ Hidden	☐ Not Recommend	☐
	- i-AUD : 7.0.600.0-202608271001 - Release No : 7.0.610.20260903-11						

[illegible]