








 7.0.610.20260903-11 .
7.0.610.20260903-11 "[I-AUD]" .

1.
 - a. **i-AUD** .
 - b. . i-AUD Designer [] .



2. a. i-AUD Designer > > > [SQL]
b. . .
c. . . , SQL .
d. , .

3.	a.	
		
		
		
		
		
		

a.

- SQL

테이티소스

테이티소스 목록

테이티소스

user-mail

공통 테이티소스

임시 테이티

이름

테이티백이스

설명

SQL

1

최대 100 건까지 조회 가능합니다.

실행

확인

취소

The image displays two screenshots of the '데이터베이스 - DataGrid' application, showing the SQL editor interface.

Top Screenshot:

- 이름 (Name):** user-mail
- 데이터베이스 (Database):** MTXRPTY
- 설명 (Description):** (Empty)
- SQL:**

```

1 SELECT "T1"."user_code" AS "C95696896" -- User Code
2 , "T1"."user_name" AS "D8392608" -- User Name
3 , "T2"."mail_addr" AS "D48313747" -- Mail Address
4 , "T2"."sms_no" AS "C97A94909" -- Mobile Number for SMS
5
6 FROM "public"."mtx_user" "T1" -- User Management
7 INNER JOIN "public"."mtx_user_mail" "T2" -- User Mail Information Management
8 ON ("T1"."user_code" = "T2"."user_code")

```
- Buttons:** 실행 (Execute), 취소 (Cancel)
- Message:** 최대 100 건까지 조회 가능합니다. (Maximum 100 rows can be retrieved.)

Bottom Screenshot:

- 이름 (Name):** 임시 데이터 (Temporary Data)
- 데이터베이스 (Database):** MTXRPTY
- 설명 (Description):** 임시 데이터입니다. (Temporary data.)
- SQL:**

```

1 select USER_CODE as 'CODE',
2       USER_NAME as 'NAME'
3 from mtx_user
4 where user_code = @:VS_USER_CODE

```
- Buttons:** 확인 (Confirm), 취소 (Cancel)
- Message:** 최대 100 건까지 조회 가능합니다. (Maximum 100 rows can be retrieved.)

• i-AUD Designer [] . 'D(• Development)' . [i-AUD] . .

[illegible]

	☐ API Open	☒ UI Open	☐ Read Only	☐ Not Use	☐ Hidden	☐ Not Recommend	☐
	- i-AUD : 7.0.600.0-202608271001 - Release No : 7.0.610.20260903-11						

[illegible]