# 2-4-1.AUD (AUD 7)



## : AUD 7.0.400.

AUD 7.0 service_api.properties matrix.security.token.expire.timeout.min () .

## AUD 7

### 1.

1. Admin > > PORTAL > >

### 2. service_api.properties

1. service_api.properties
   a. service_api.properties PathAdmin > > service_api.properties Path
      i. service_api.properties
   b. a
      {CONTEXTPATH}/WEB-INF/classes/framework/service/service_api.properties
      matrix.prop.location=
      i. true
         matrix.prop.location.path service_api.properties
      ii. false
         {CONTEXTPATH}/WEB-INF/classes/framework/service/service_api.properties

2. service_api.properties
   a. matrix.security.token.expire.timeout.min
      i. Token timeout (AccessToken expire )
      ii.

   b. matrix.jwtAccessTokenExpirationMs
      i. Access Token Expiry time
      ii. (5 = 300000)

3.

---

### Admin

1.
   a. Admin > > PORTAL > >

2. (SESSION_EXTEND_TIMEOUT)
   a. (updateSession.jsp )
   b. : Admin > > PORTAL > > SESSION_EXTEND_TIMEOUT >
   c. :

---AS-IS ---

## : AUD 6

# i-PORTAL

MATRIX .

1. WAS
2. matrix.properties

1 WAS
2 matrix.properties .

## 1) WAS

. WAS Tomcat .

) ..Tomcat / conf / web.xml

```
<session-config>
   <session-timeout>30</session-timeout>
</session-config>
```

.




## 2) matrix.properties

. : ..Matrix Server / WEB-INF / classes / matrix / matrix.properties


matrix.responsecharset="utf-8"
matrix.requestcharset="utf-8"
matrix.installername="MTXInstaller.CAB#version=1,0,0,40"
matrix.notsafer="true"
matrix.mydocument="true"
## Configuration Management setting
matrix.selfcm="true"
matrix.configmgt="1"
matrix.filebackup="0"
matrix.pwdencrypt= "2"
##matrix.selfcmcrypt="true"
##matrix.scheduler="false"
##matrix.ext.usedbsecurity="true"
##matrix.ext.drmflag="1"
##matrix.usemasking="true"
##matrix.sessiontime="3600"

3600(1) .

